

	29,	, 50m	, 13					
20.	,		II	11	"	"	38.67	227 1
12								
1.	,		2	12	"	"	29.39	518 II
2.	,		I	12			29.79	497 II
3.	,			12	"	"	30.98	442 II
4.	,		2	12	"	"	31.12	436 II
5.	,		I	12	"	"	31.93	404 III
6.	,		2	12	"	"	32.83	371 III
7.	,		2	12	"	"	33.44	351 1
8.	,		2	12	"	"	33.66	345 1
9.	,		II	12			33.90	337 1
10.	,		II	12	"	"	34.06	333 1
11.	,		II	12	"	"	34.17	329 1
12.	,		II	12	"	"	34.52	319 1
13.	,		III	12			35.56	292 1
14.	,		1	12			36.65	267 1
15.	,		II	12			37.23	255 1
16.	,		III	12			37.33	252 1
17.	,		III	12	"	"	38.15	237 1
DSQ	,		2	12	"	"		
11								
1.	,		III	13			31.45	423 III
2.	,		III	13	"	"	33.50	350 1
3.	,		II	13	"	"	33.86	339 1
4.	,		II	13			33.98	335 1
5.	,		2	13	"	"	34.12	331 1
6.	,		II	13	"	"	34.19	329 1
7.	,		2	13	"	"	34.53	319 1
8.	,		III	13	"	"	34.68	315 1
9.	,		III	13	"	"	34.96	308 1
10.	,		III	13			35.26	300 1
11.	,		III	13	"	"	35.50	294 1
12.	,		II	13	"	"	36.64	267 1
13.	,		III	13	"	"	36.70	266 1
14.	,		III	13	"	"	36.80	264 1
15.	,		III	13	"	"	37.03	259 1
16.	,		III	13	"	"	38.74	226 1
17.	,		2	13	"	"	39.07	220 1
18.	,		1	13			41.17	188 2
19.	,		1	13			42.75	168 2
20.	,		1	13			43.08	164 2
21.	,		1	13	"	"	43.39	161 2
22.	,		2	13			43.41	160 2
23.	,		2	13			48.64	114 2
24.	,		1	13			53.44	86 3

29, , 50m

10								
1.	,	III	14	"	"	33.47	351	1
2.	,	II	14			34.27	326	1
3.	,	III	14			34.89	309	1
4.	,	1	14	"	"	35.38	297	1
5.	,	1	14	"	"	36.55	269	1
6.	,	III	14	"	"	37.41	251	1
7.	,	III	14			37.43	250	1
8.	,	1	14	"	"	37.78	244	1
9.	,	1	14	"	"	38.31	234	1
10.	,	1	14	"	"	40.20	202	1
11.	,	1	14	"	"	41.91	178	2
12.	,	2	14	"	"	41.94	178	2
13.	,	2	14	"	"	42.37	173	2
14.	,	2	14	"	"	43.19	163	2
15.	,	1	14	"	"	43.47	160	2
16.	,	2	14	"	"	43.50	159	2
17.	,	1	14	"	"	43.80	156	2
18.	,	2	14	"	"	45.08	143	2
19.	,	2	14	"	"	47.15	125	2
20.	,	1	14	"	"	48.73	113	2
21.	,	2	14	"	"	51.97	93	3

8 - 9								
1.	,	1	15	"	"	38.36	233	1
2.	,	1	15			38.91	223	1
3.	,	1	16			39.67	210	1
4.	,	1	15			40.76	194	2
5.	,	1	15			44.68	147	2
6.	,	2	15	"	"	45.80	136	2
7.	,	2	15	"	"	46.18	133	2
8.	,	2	16			46.66	129	2
9.	,	2	15	"	"	47.18	125	2
10.	,	2	15	"	"	47.71	121	2
11.	,	2	15	"	"	48.29	116	2
12.	,	2	15	"	"	48.36	116	2
13.	,	2	15	"	"	48.76	113	2
14.	,	2	15	"	"	49.28	109	2
15.	,	2	15	"	"	49.85	106	2
16.	,	2	15	"	"	50.50	102	3
17.	,	2	15	"	"	50.78	100	3
18.	,	2	15	"	"	51.39	96	3
19.	,	2	16	"	"	53.06	88	3
20.	,	2	16	"	"	53.95	83	3
21.	,	2	15	"	"	55.31	77	3
22.	,	2	15	"	"	55.81	75	3
23.	,	2	16	"	"	56.19	74	3
24.	,	2	15	"	"	56.77	71	3
25.	,	2	16	"	"	57.54	69	3
26.	,	2	15	"	"	57.82	68	3
27.	,	2	15	"	"	58.06	67	3
28.	,	2	15	"	"	58.18	66	3
29.	,	2	15	"	"	58.41	66	3
30.	,	2	16	"	"	59.01	64	3
31.	,	2	16	"	"	59.12	63	3
32.	,	2	15	"	"	59.89	61	

	29,	, 50m	, 8 - 9				
33.	,		2 15	"	"	59.98	60
34.	,	,	2 16	"	"	1:00.58	59
35.	,		2 16	"	"	1:00.73	58
36.	,		2 16	"	"	1:01.84	55
37.	,	,	2 16	"	"	1:02.06	55
38.	,		2 16	"	"	1:02.07	55
39.	,		2 16	"	"	1:02.38	54
40.	,		2 16	"	"	1:03.84	50
41.	,		2 16	"	"	1:04.68	48
42.	,	,	2 16	"	"	1:05.81	46
43.	,		2 16	"	"	1:06.20	45
44.	,		2 16	"	"	1:06.68	44
45.	,		2 15	"	"	1:07.17	43
46.	,		2 16	"	"	1:07.66	42
47.	,		2 16	"	"	1:07.89	42
48.	,		2 15	"	"	1:24.36	21
DSQ	,		2 15	"	"		